

Safety Data Sheet

According to 1907/2006/EC (REACH) and 1272/2008/EC (CLP)

Printing Date: 1/21/2015

Revision: 1/21/2015

Trade Name: E100-PT3™ - Clear Waterborne Epoxy – Part A

1 Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: E100-PT3 - Part A

1.2 Article No.: E100-PT3 - Part A

1.3 Details of the supplier of the Safety Data Sheet Manufacturer:

Elite Crete Systems
1061 Transport Drive
Valparaiso, IN 46383
Toll Free: 888.323.4445
Tel: (219) 465-7671
Fax: (219) 531-0898
www.elitecrete.com

1.4 Emergency telephone number:

CHEMTREC US DOMESTIC: (800-424-9300)
CHEMTREC INTERNATIONAL: (703-527-3887)

2 Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with CFR 1910 (OSHA HCS)

The product is not classified as hazardous according to EU parliament and councils directive 1999/45/EF.

2.2 Label elements

Labeling according to Regulation (EC) No 1272/2008:

Hazard pictograms:



GHS07

Emergency overview:

Low hazard for usual handling and industrial processing for trained personnel..

Form: Liquid

Color: white milky appearance

Odor: odorless

Routes of entry: unprotected eyes or skin

Potential health effects Eyes: irritating to eyes. Exposed individuals may experience eye tearing, redness, and discomfort

Skin: No more than slightly irritating to skin. No more than slightly toxic if absorbed.

Ingestion; No more than slightly toxic if swallowed. Significant adverse health effects are not expected to develop if only small amounts (less than a mouthful) are swallowed .

Inhalation: Mo significant hazard if properly adjusted breathing protection is used in dust filled air.

Acute health hazards: no significant hazards associated with this product

Chronic health hazards: No significant health hazards associated with this product.

Medical conditions generally aggravated by exposure. None known.

Potential Physical/chemical effects: wet spilled material may form extremely slippery surfaces.

Safety Data Sheet

According to 1907/2006/EC (REACH) and 1272/2008/EC (CLP)

Printing Date: 1/21/2015

Revision: 1/21/2015

Trade Name: E100-PT3™ - Clear Waterborne Epoxy – Part A

Precautionary statements

Not applicable

Hazard description:

Canadian WHMIS Classification: none listed

NFPA ratings (scale 0 - 4)



Health = 1
Fire = 1
Reactivity = 0

HMIS-ratings (scale 0 - 4)

Health	1
Fire	1
Reactivity	0

Health = 1
Fire = 1
Reactivity = 0

2.3 Other hazards not otherwise classified (HNOC) or not covered by GHS

None known

3 Composition/information on ingredients

3.2 Mixture.

Description: Mixture of substances listed below with nonhazardous additives.

Hazardous components:

Identification #	Description	WT. %
CAS: 107-98-2 EINECS: Index No.:	1-Methoxy-2-propanol Flam Liq. 3, H226, STOT SE 3,H336, Skin irrit. 3, H316, Eye irrit. 2B, H320	12-39%
CAS: 100-51-6 EINECS: Index: No:	Benzyl alcohol Acute Tox. 4, H302, H332, Skin irrit. 3, H316, Eye irrit. 2 H319	3-31%
CAS: 7732-18-5	Water	30-85%

Additional information: Balance of other ingredients are non-hazardous or less than 1% in concentration (or 0.1% for carcinogens, reproductive toxins, or respiratory sensitizers). Additional H statements see Sec 16.

Safety Data Sheet

According to 1907/2006/EC (REACH) and 1272/2008/EC (CLP)

Printing Date: 1/21/2015

Revision: 1/21/2015

Trade Name: E100-PT3™ - Clear Waterborne Epoxy – Part A

4 First aid measures

4.1 Description of first aid measures

After inhalation:

If breathing becomes difficult, remove victim to fresh air. If necessary, use artificial respiration to support vital functions. Seek medical attention if breathing difficulty continues. **Immediate first aid is not likely to be required.**

After skin contact:

Wash skin thoroughly after handling. Seek medical attention if irritation develops and persists. Remove contaminated clothing. Launder contaminated clothing before re-use. **Immediate first aid is not likely to be required.**

After eye contact:

If product enters the eyes, open eyes while under gentle running water for at least 15 minutes. Seek medical attention.

After swallowing:

If product is swallowed, call physician or poison control center for most current information. If professional advice is not available, do not induce vomiting. Never induce vomiting or give diluents. Give large amounts of water or milk to a CONSCIOUS PERSON. **Never give (milk or water) to someone who is unconscious**, having convulsions, or who cannot swallow. Seek medical advice. Take a copy of the label and/or MSDS with the victim to the health professional.

4.2 Most important symptoms and effects, both acute and delayed.

None Known

Hazards: slippery if spilled

4.3 Indication of any immediate medical attention and special treatment needed:

Not Applicable

5 Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents: dry chemical, water spray, alcohol resistant foam. Carbon dioxide

5.2 Special hazards arising from the substance or mixture: keep containers cool by spraying with water if exposed to fire.

Hazardous decomposition products: None Known

Flammability: Material would have to be heated locally to over 380° C for ignition to occur.

5.3 Protective Equipment: Fire fighters to wear complete firefighting clothing, self contained masks and all traditional firefighting equipment used for typical fires.

6 Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures: Personnel should be trained for spill response operations.

6.2 Environmental precautions: All work practices must be aimed at eliminating environmental contamination.

6.3 Methods and material for containment and cleaning up: Evacuate area. Contain spill if safe to do so. Prevent entry into drains, sewers, and other waterways. Soak up spilled material with an absorbent material and pick up and place in an appropriate waste container for disposal. Do not mix with other wastes. Dispose of in accordance with applicable Federal, State, and local procedures (see Section 13, Disposal Considerations).

Safety Data Sheet

According to 1907/2006/EC (REACH) and 1272/2008/EC (CLP)

Printing Date: 1/21/2015

Revision: 1/21/2015

Trade Name: E100-PT3™ - Clear Waterborne Epoxy – Part A

7 Handling and storage

7.1 Precautions for safe handling

As with all chemicals, avoid getting this product ON YOU or IN YOU. Wash thoroughly after handling this product. Do not eat, drink, smoke, or apply cosmetics while handling this product. Avoid breathing dust/vapors generated by this product. Use in a well-ventilated location. Remove contaminated clothing immediately.

7.2 Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles:

Store between 45 and 125 F (10-50 C) for quality reasons, and avoid contact with skin and eyes.. Good general housekeeping procedure should be followed. Do not eat drink or smoke while using the material. Emergency showers should be readily available. Material may partially freeze in cold temperatures which will result in crystals and haziness. If this occurs rewarm and homogenize. Avoid contact with skin eyes. Contact with eyes or skin may be irritating.. Use only with good ventilation and PPE. Keep container closed when not in use.

7.3 Specific end use(s): No information

8 Exposure controls/personal protection

Additional information about design of technical facilities:

Use with adequate ventilation to ensure exposure levels are maintained below the limits provided above. Use local exhaust ventilation to control airborne dust/vapor. Ensure eyewash/safety shower stations are available near areas where this product is used.

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

Currently, International exposure limits are not established for the components of this product. Please check with competent authority in each country for the most recent limits in place.

8.2 Exposure controls

Personal protective equipment:

General protective and hygienic measures:

The following information on appropriate Personal Protective Equipment is provided to assist employers in complying with OSHA regulations found in 29 CFR Subpart I (beginning at 1910.132) or equivalent standard of Canada, or standards of EU member states (including EN 149 for respiratory PPE, and EN 166 for face/eye protection), and those of Japan. Please reference applicable regulations and standards for relevant details.

Respiratory protection: Maintain airborne contaminant concentrations below guidelines listed above, if applicable. If necessary, use only respiratory protection authorized in the U.S. Federal OSHA Respiratory Protection Standard (29 CFR 1910.134), equivalent U.S. State standards, Canadian CSA Standard Z94.4-93, the European Standard EN149, or EU member states.

Protection of hands: Use chemical resistant gloves to prevent skin contact. If necessary, refer to U.S. OSHA 29 CFR 1910.138 or appropriate Standards of Canada.



Protective gloves

Material of gloves:

The selection of suitable gloves does not only depend on the material, but also on the quality, and varies from manufacturer to manufacturer.

Penetration time of glove material:

The exact break through time has to be determined by the manufacturer of the protective gloves. DO NOT exceed the breakthrough time set by the Manufacturer.

Eye protection: Safety glasses or chemical goggles as appropriate to prevent eye contact. If necessary, refer to U.S. OSHA 29 CFR 1910.133 or appropriate Canadian Standards.



Tightly sealed goggles

Safety Data Sheet

According to 1907/2006/EC (REACH) and 1272/2008/EC (CLP)

Printing Date: 1/21/2015

Revision: 1/21/2015

Trade Name: E100-PT3™ - Clear Waterborne Epoxy – Part A

Body Protection:

Use body protection appropriate to prevent contact (e.g. lab coat, overalls). If necessary, refer to appropriate Standards of Canada, or appropriate Standards of the EU, Australian Standards, or relevant Japanese Standards.

9 Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Appearance:

Form:	liquid
Color:	milky white liquid
Odor:	mild
Odor threshold:	N/A

pH-value:	N/A
Change in condition	140-212° F (60-100°C)
Melting point/Melting range:	N/A
Boiling point/Boiling range:	
Flash point:	Closed Cup 212° F (94° C)
Flammability LIMITS (% BY VOL)	Lower: 1.3 Upper: 11.5
Auto/Self-ignition temperature:	842°F (450°C)
Decomposition temperature:	No data available
Self-igniting:	No data available
Vapor pressure at:	Not established
Density at 20°C:	9.18 lbs. per gallon, specific gravity 1.1
Vapor pressure:	20hPa (@20°C)
Vapor density:	<1 (Air=1)
Evaporation rate:	No data available
Solubility in / Miscibility with Water:	Soluble
Specific Gravity 23 C: (Water = 1):	1.1 g/cm ³
Viscosity:	
Dynamic:	No data available
Kinematic:	No data available
Solvent content:	
Organic solvents:	No data available
VOC (EC)	9.5%%
9.2 Other information	No data available

Safety Data Sheet

According to 1907/2006/EC (REACH) and 1272/2008/EC (CLP)

Printing Date: 1/21/2015

Revision: 1/21/2015

Trade Name: E100-PT3™ - Clear Waterborne Epoxy – Part A

10 Stability and reactivity

10.1 Reactivity: no data available

10.2 Chemical stability: Product is stable.

Thermal decomposition / conditions to be avoided: none known

10.3 Possibility of hazardous reactions: none known

10.4 Conditions to avoid: none known

10.5 Incompatible materials: none known. Keep product exposure below 716 F (380C)

10.6 Hazardous decomposition products: carbon monoxide (CO₂); carbon dioxide

11 Toxicological information

11.1 Information on toxicological effects: Toxicity data is available for this product

Acute toxicity:

Acute Dermal	LD 50	>no data	Rabbit
Acute Oral	LD 50	>2,000 mg/kg	Rat

Primary irritant effect: nor irritating

Sensitization: This product is not considered a skin sensitizer.

Additional toxicological information:

None of the ingredients are found on the following lists: FEDERAL OSHA Z LIST, NTP, CAL/OSHA, IARC

Reproductive toxicity information:

No information available

Carcinogenicity: IARC,ACGIH,NTP,OSHA: no component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

California proposition 65 Warning (applicable in California ONLY!) This product contains minute chemicals known to the State of California to cause cancer and other birth defects or other reproductive harm.

12 Ecological information

12.1 Toxicity

Aquatic toxicity:

Product has not been tested for toxicity, but data obtained on similar products are summarized below. Results of single exposure (acute) toxicity studies conducted on similar materials indicate that this product is practically non toxic orally and after skin application.

12.2 Persistence and degradability: No data available

12.3 Bio accumulative potential:

N/A.

12.4 Mobility in soil: No data available

General notes: No specific data is available for this product, however this product is expected to be readily biodegradable (99-%)

12.5 Results of PBT and vPvB assessment

PBT.vPvB assessment not available, chemical assessment not required /not conducted

12.6 Hazardous Ingredient Toxicity Data

Safety Data Sheet

According to 1907/2006/EC (REACH) and 1272/2008/EC (CLP)

Printing Date: 1/21/2015

Revision: 1/21/2015

Trade Name: E100-PT3™ - Clear Waterborne Epoxy – Part A

COMPONENT/CAS#	Toxicity to Algae	Toxicity to Fish	Toxicity to water flea
1-methoxy-2-propanol 107-98-2	Not available	LC50= 20.8 g/L-Pimephales promelas (96h)	EC50 = 23300 mg/L-Daphnia magna (48h)
Benzyl alcohol 100-51-6	Not Available	LC50 = 1-mg/L – Lepomis macrochirus (96h) LC50 = 460 mg/L-Pimephales Promelas (96h)	EC50 = 23mg/L – water flea (48h)

13 Disposal considerations

13.1 Waste treatment methods

Recommendations:

Waste disposal must be in accordance with appropriate Federal, State, and local regulations, those of Canada, Australia, EU Member States and Japan. Recommended to contact local licensed professional waste disposal service.

RCRA WASTE CODE: None Listed

EU WASTE CODE: Not Listed

14 Transport information

14.1 UN-Number

IMDG:

ADR, DOT, IATA, TGD

NO UN NUMBER REQUIRED NON HAZARDOUS IN ALL
RESPECTS

NOT DANGEROUS GOODS not regulated

14.2 UN proper shipping name

ADR, IMDG, IATA: DOT: TGD

,
NOT DANGEROUS GOODS not regulated

14.3 Transport hazard class(es)

DOT

Class:

NONE

Label:

ADR, IMDG, IATA

Class:

Label:

NONE

IMDG

Class:

Label:

NONE

Safety Data Sheet

According to 1907/2006/EC (REACH) and 1272/2008/EC (CLP)

Printing Date: 1/21/2015

Revision: 1/21/2015

Trade Name: E100-PT3™ - Clear Waterborne Epoxy – Part A

IATA	
Class:	
Label:	NONE
14.4 Packing group	
DOT, ADR, IMDG, IATA:	NONE
14.5 Environmental hazards:	
Marine pollutant:	This products ingredients are not classified by the DOT as a Marine Pollutant (as defined by 49 CFR 172.101, Appendix B)
14.6 Special precautions for user	
Danger code (Kemler):	No data available
EMS Number:	No data available
14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:	No data available
Transport/Additional information	
ADR	
Tunnel restriction code	No data available
UN "Model Regulation":	No data available

15 Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture. United States (USA)

SARA: This product is not subject to the reporting requirements of Sections 302, 304 and 313 of Title III of the Superfund Amendments and Reauthorization Act.: None

Section 355 (extremely hazardous substances): None of the ingredients are listed.

Section 313 (Toxic Release Inventory): None of the ingredients are listed.

TSCA (Toxic Substances Control Act): All ingredients are listed.

Proposition 65 (California):

California proposition 65 Warning (applicable in California ONLY!) This product contains chemicals known to the State of California to cause cancer and other birth defects or other reproductive harm.

Canada

Canadian Domestic Substances List (DSL):

All ingredients are listed

Canadian Ingredient Disclosure list (limit 0.1%):

None of the ingredients are listed.

Canadian Ingredient Disclosure list (limit 1%):

None of the ingredients are listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

Safety Data Sheet

According to 1907/2006/EC (REACH) and 1272/2008/EC (CLP)

Printing Date: 1/21/2015

Revision: 1/21/2015

Trade Name: E100-PT3™ - Clear Waterborne Epoxy – Part A**16 Other information****Relevant phrases:****Component hazard phrases:****1Methoxy-2-propanol**

H226: Flammable liquid and vapor.
H316: Causes mild skin irritation.
H320: Causes eye irritation.
H336: may cause drowsiness or dizziness.

Benzyl alcohol

H302: harmful if swallowed
H316: Causes mild skin irritation.
H319: Causes serious eye irritation.
H332: Harmful if inhaled.

Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation.
IATA: International Air Transport Association.
ACGIH: American Conference of Governmental Industrial Hygienists.
EINECS: European Inventory of Existing Commercial Chemical Substances.
ELINCS: European List of Notified Chemical Substances.
CAS: Chemical Abstracts Service (division of the American Chemical Society).
NFPA: National Fire Protection Association (USA).
HMIS: Hazardous Materials Identification System (USA).
LC50: Lethal concentration, 50 percent.
LD50: Lethal dose, 50 percent.