

Elite Crete Systems - Product List - Division 9 Products

Product Names and Descriptions

RESINOUS RELATED PRODUCTS	PKG. SIZE AVAILABLE
Clear Epoxy	
E100-PT1™ - Standard Set - Clear - 2:1 Ratio A 100% solids premium epoxy coating for commercial and industrial applications. Cures down to 40°F or 4.4°C. Cure time under normal conditions is approximately 8 hours. Completely VOC free. Completely self-leveling. Used for a wide range of applications: Contact technical representative for use details. Can be pigmented in the field with specialty liquid or powdered pigment listed below.	1.5 Gal. Kit
	3 Gal. Kit
	15 Gal. Kit
	150 Gal. Kit
E100-PT1F™ - FAST SET - Clear - 2:1 Ratio Same performance characteristics and uses as E100-PT1™ Standard Set yet cure time is reduced to approximately 4 hours.	1.5 Gal. Kit
	3 Gal. Kit
	15 Gal. Kit
	150 Gal. Kit
E100-UV1™ - Clear - 2:1 Ratio Same performance characteristics and uses as E100-PT1™ Standard Set yet a slightly thicker viscosity for enhanced thickness and depth when installing a REFLECTOR™ Enhancer Flooring System or a thicker mil coating is required or specified.	1.5 Gal. Kit
	3 Gal. Kit
	15 Gal. Kit
	150 Gal. Kit
E100-PT3™ - Clear - 7:3 Odd Ratio A high solid, waterborne epoxy for residential and commercial applications where a thick coating or solvent sealer cannot be used. Cure time under normal conditions is 6 to 8 hours. Completely VOC free.	1.5 Gal. Kit
	3 Gal. Kit
E100-VR1™ - Clear - 2:1 Ratio Same performance characteristics and uses as E100-PT1™ Standard Set yet much increased resistance to yellowing from UV degradation for areas of high direct sun exposure.	1.5 Gal. Kit
	3 Gal. Kit
	15 Gal. Kit
	150 Gal. Kit
Pigmented Epoxy	
E100-PT4™ - Standard Set - 2:1 Ratio Same performance characteristics and uses as E100-PT1™ Standard Set yet pre-colored for applications where a pigmented epoxy is required or specified. Standard Colors: Black, Country Blue, Brown, Dark Gray, Light Gray, Medium Gray, Tan, Tile Red, White, Burnt Orange, Army Green, Forest Green, Nevada Clay and Safety Yellow. Custom colors available.	1.5 Gal. Kit
	3 Gal. Kit
	15 Gal. Kit
	150 Gal. Kit
E100-PT4F™ - FAST SET - 2:1 Ratio Same performance characteristics and uses as E100-PT1™ Standard Set yet cure time is reduced to approximately 4 hours.	1.5 Gal. Kit
	3 Gal. Kit
	15 Gal. Kit
	150 Gal. Kit
E100-FS4™ - Light Gray - 1:1 Ratio A 100% solids epoxy coating engineered with additional flexibility for stable wood substrates and areas of high turning wheel traffic such as covered parking garages. Completely VOC free.	2 Gal. Kit
	10 Gal. Kit
	100 Gal. Kit
Additional Resinous and Industrial Flooring Products	
AUS-50™ - Gloss - Clear - Single Component A 50% solids, single component urethane sealer which provides an extremely high abrasion and chemical resistance. Not recommended for use on 100% solids epoxies. Not VOC compliant in all areas.	1 Gal. Can
	5 Gal. Pail
AUS-V™ - Gloss - Clear - 2:1 Ratio A high solids protective urethane coating for 100% solids epoxies engineered to increase the abrasion and chemical resistance of the finished floor. Available in high gloss or satin finish. Can be color with a special liquid pigment listed below.	1.5 Gal. Kit
	3 Gal. Kit
	15 Gal. Kit
ARMA-MENT™ SR7 - Gloss - Clear - Odd ratio. Call for specifics A patented urethane/epoxy blend for increase abrasion resistance.	1.25 Gal. Kit
	5 Gal. Kit
AUS-HD™ - Gloss - Clear - Single Component A 50% solids, single component urethane sealer which provides an extremely high abrasion and chemical resistance. Can be used on 100% solids epoxies. Not VOC compliant in all areas.	1 Gal. Pail
	5 Gal. Pail
SPARTIC-ALL™ RM - Gloss - Clear - 2:1 Ratio A high solids polyastartic specialty coating with much faster dry and cure times compared to most epoxy coating which also having increase abrasion and chemical resistance. Use for many of the HERMETIC™ flooring choices in place of epoxy. Also used as a very thin, satin finish protective coating for 100% solids epoxy.	1.5 Gal. Kit
	3 Gal. Kit
	15 Gal. Kit
	150 Gal. Kit
E100-VB5™ Vapor Barrier - 1:1 Ratio An epoxy primer/base coat for concrete surfaces with vapor transmission or hydrostatic pressure concerns. Cure time under normal conditions is 4 to 5 hours. Completely VOC free. Contact a technical representative for thresholds and recommended testing methods.	2 Gal. Kit
	10 Gal. Kit
	100 Gal. Kit
PRE-CEPTER™ 25 Moisture Mitigating Osmotic Resistant Pre-Primer	3 Gal. Pail

A proprietary single component vapor barrier emulsion for concrete surfaces that are to be coated with an epoxy or urethane coating. Pre-ceptor™25 is a highly engineered <i>Nano Silica Emulsion</i> blend developed as a pre-primer for E100-VB5™ Vapor Barrier Epoxy or other approved resinous coatings.	5 Gal. Pail 55 Gal. Drum
E100-NV4™ Standard Duty - 2:1 Ratio A 100% solids epoxy coating engineered with a higher chemical resistance for splash and spill areas. Completely self leveling and VOC free. Available in clear or brick red.	1.5 Gal. Kit 3 Gal. Kit 15 Gal. Kit 150 Gal. Kit
E100-NV5™ High Performance - 2:1 Ratio Same performance characteristics and uses as E100-NV4™ with a much greater chemical resistance beyond splash and spill to the point of full chemical emersion. Completely self leveling and VOC free. Available in clear or brick red.	1.5 Gal. Kit 3 Gal. Kit 15 Gal. Kit 150 Gal. Kit
E100-UL7™ - Clear - 2:1 Ratio A 100% solids epoxy coating engineered as a more cost effective underlayment or base coat.	3 Gal. Kit 15 Gal. Kit 12 x 15 Gal. Kit 150 Gal. Kit
HERMETIC™ 4.8S Urethane Cement Slurry - 3 Part Kit A VOC free, self leveling urethane cement slurry engineered for floors subject to pressure steam cleaning where a high wear and abrasion resistant floor is required.	3 Part Kit
E100-FS4™ - Light Gray - 1:1 Ratio A 100% solids epoxy coating engineered with additional flexibility for stable wood substrates and areas of high turning wheel traffic such as covered parking garages. Completely VOC free.	2 Gal. Kit 10 Gal. Kit 100 Gal. Kit
E100-PESD™ - Electrostatic Dissipative Epoxy	3 Gal. Kit 15 Gal. Kit
E100-RT1™ - Cold Temp Epoxy	3 Gal. Kit
EC-1710™ - Oil Tolerant Epoxy Primer - Black - 1:1 Ratio A solvent based epoxy primer for oil saturated concrete surfaces. NOTE: Very precise surface preparation is required.	2 Gal. Kit 10 Gal. Kit 100 Gal. Kit
E100-PC2™ - Coal Tar Epoxy - Black - 1:1 Ratio A 100% solids epoxy coating engineered to bond to asphalt, concrete, steel and wood surfaces even in cold, damp environments. Can be used as a mortar binder for asphalt repair or simply a reseal coat.	2 Gal. Kit 10 Gal. Kit 100 Gal. Kit
REFLECTOR™ Enhancer Additive	
REFLECTOR™ Enhancer Additive A non-mica and non-metallic additive for select 100% solids epoxies for creating special effects and textures. Standard Colors: Bubble Gum, Cairo, Canary, Charcoal Pearl, Coffee, Concord Grape, Copper, Dark Green, ECS Blue, Green Apple, Gunmetal, Lilac, Orange Gold, Red Yellow, Rialto, Russet, Sherbet, Sky Blue, Titanium.	Sample Kit 2 Oz. Jar 32 Oz. Jar
Supplemental Products	
EXIT™ Epoxy Cleaner and Troweling Aid A non-solvent, non-hazardous, non-flammable solution for cleaning uncured epoxy from tools and equipment. Aids in the application of trowelable mortars and cove base helping to eliminate sticking.	1 Gal. Bottle 5 Gal. Pail
Aluminum Oxide Aggregate - 240 Sieve A non-slip and satin finish additive for select protective tops for greatly improving abrasion resistance.	1.5 Lbs.
Cellulose Powder Epoxy Thickener (Cabosil Replacement) An epoxy thickening agent. Typically used in cove base and other specialty applications.	2 Gal. Pail 50 Lb. Bag
80 Lb. Flint #12 Medium Sieve Rounded Silica Quartz A blended 40 to 50 seive, rounded silica quartz/sand used for a multitude of applications.	80 Lb. Bag
100 Lb. Sil-Co-Sil Silica Flour An ultra-finely ground silica quartz powder used for a multitude of applications.	100 Lb. Bag
QUICK-CRACK™ - 1:1 Ratio An extremely fast, yet moisture sensitive crack fill resin.	1 Gal. Kit
MERCAP-445™ - Crack Repair and Injection Epoxy A crack repair resin which can withstand moderate moisture presence. Yet slower cure than QUICK-CRACK™.	900 ml Cartridge 1.5 Gal. Kit
REHAB™ A concentrated cleaner and degreaser.	1 Gal. Bottle 5 Gal. Pail
Waterborne Pigment for AUS-V™ & HERMETIC™ Urethane Cement Slurry Liquid pigment additive specifically for AUS-V™ & HERMETIC™ Urethane Cement Slurry. Standard Colors: White, Tan, Light Gray, Medium Gray, Dark Gray	1 Pint Jar 1 Gal. Bottle
Powdered Pigment for E100 Series Epoxy* Powdered pigment additive for select clear E100 Series epoxies. * Select epoxies. Contact a representative. Standard Colors: Tan, Light Gray, Medium Gray, Dark Gray	1 Quart Jar
Liquid Pigment for E100 Series Epoxy* Liquid pigment additive for select clear E100 Series epoxies. * Select epoxies. Contact a representative. Standard Colors: Tan, Light Gray, Medium Gray, Dark Gray, Black, White	1 Quart Jar

*Dual Cartridge Gun - 600 ml:300ml - 2:1	Each
Used for the application of MERCAP-445™ in cartridge form.	
*Static Mixer	Each
Used for the application of MERCAP-445™ in cartridge form.	
Wet Film Thickness Gauge (mil & micron) - 10 pack	10 Pack
Specialty Tools and Supplies	
*Hand Squeegee (Magic Trowel)	12" W
	18" W
	22" W
*Economy Notched Squeegee	1/16" D x 22" W
	1/8" D x 22" W
	3/16" D x 22" W
*Gauge Rack (Cam) - 24"	24" Wide
*Mixer Set - 5 Piece	5 Pieces
*Plastic Measuring Container	1 Quart
	2.5 Quart
	5 Quart
5 Gallon "Mixing Pail"	1 Each
Lid for "Mixing Pail" - Press on Removeable	1 Each

* = Purchase direct from the recommended supplier or retail pricing is applied

Marketing Materials & Apparel	
Technical Brochure - "Garage Floor Coatings"	100 pcs.
Technical Brochure - "REFLECTOR™ Enhancer Flooring System"	100 pcs.
Technical Brochure - "HERMETIC™ Neat Flooring System"	100 pcs.
Technical Brochure - "HERMETIC™ Flake Flooring System"	100 pcs.
Technical Brochure - "HERMETIC™ Quartz Flooring System"	100 pcs.
Technical Brochure - "HERMETIC™ Stout Flooring System"	100 pcs.
Technical Brochure - "HERMETIC™ Paramount Flooring System"	100 pcs.
Technical Brochure - "HERMETIC™ Paramount HD Flooring System"	100 pcs.
Technical Brochure - "HERMETIC™ Aircraft Flooring System"	100 pcs.
Technical Brochure - "HERMETIC™ 4.8S Urethane Cement Slurry"	100 pcs.
4 Page Brochure - "Tough, Long Lasting Solutions"	100 pcs.
4 Page Brochure - "Commercial Flooring Solutions"	100 pcs.
4 Page Brochure - "Residential Flooring Solutions"	100 pcs.
4 Page Brochure - "REFLECTOR™ Enhancer Flooring Solutions"	100 pcs.
4 Page Brochure - "Industrial Flooring Solutions"	100 pcs.
Color Chart - "REFLECTOR™ Enhancer Flooring System"	100 pcs.
Color Chart - Economy - "E100 Series - Pre-Colored Epoxy Coatings"	100 pcs.
Color Chart - "Pigmented Industrial Coatings Chart"	10 pcs.
Product Information Binder	Each
Product Information Binder on USB Flash Drive	Each
Product Information Folder - Division 9 Finishes - Empty	25 Pack
Tee Shirt - Elite Crete Systems - Black or White	Medium
	Large
	X Large
	XX Large
Hat - Elite Crete Systems - Black or Camo	Each
Hat - Elite Crete Systems - White Flat Bill	Each

See PI.021C - Price List - Division 3 Products for additional products