

## Elite Crete Systems - Product List - Division 9 Products

### Product Names and Descriptions

RESINOUS RELATED PRODUCTS	PKG. SIZE AVAILABLE
<b>Clear Epoxy</b>	
<b>E100-PT1™ - Standard Set - Clear - 2:1 Ratio</b> A 100% solids premium epoxy coating for commercial and industrial applications. Cures down to 40 F or 4.4°C. Cure time under normal conditions is approximately 8 hours. Completely VOC free. Completely self-leveling. Used for a wide range of applications: Contact technical representative for use details. Can be pigmented in the field with specialty liquid or powdered pigment listed below.	3 Gal. Kit 15 Gal. Kit 150 Gal. Kit
<b>E100-PT1F™ - FAST SET - Clear - 2:1 Ratio</b> Same performance characteristics and uses as E100-PT1™ Standard Set yet cure time is reduced to approximately 4 hours.	3 Gal. Kit 15 Gal. Kit 150 Gal. Kit
<b>E100-UV1™ - Clear - 2:1 Ratio</b> Same performance characteristics and uses as E100-PT1™ Standard Set yet a slightly thicker viscosity for enhanced thickness and depth when installing a REFLECTOR™ Enhancer Flooring System or a thicker mil coating is required or specified.	3 Gal. Kit 15 Gal. Kit 150 Gal. Kit
<b>E100-VR1™ - Clear - 2:1 Ratio</b> Same performance characteristics and uses as E100-PT1™ Standard Set yet much increased resistance to yellowing from UV degradation for areas of high direct sun exposure.	3 Gal. Kit 15 Gal. Kit 150 Gal. Kit
<b>Pigmented Epoxy</b>	
<b>E100-PT4™ - Standard Set - 2:1 Ratio</b> Same performance characteristics and uses as E100-PT1™ Standard Set yet pre-colored for applications where a pigmented epoxy is required or specified. Standard Colors: Black, Country Blue, Brown, Dark Gray, Light Gray, Medium Gray, Tan, Tile Red, White, Burnt Orange, Army Green, Forest Green, Nevada Clay and Safety Yellow. Custom colors available.	3 Gal. Kit 15 Gal. Kit 150 Gal. Kit
<b>E100-PT4F™ - FAST SET - 2:1 Ratio</b> Same performance characteristics and uses as E100-PT1™ Standard Set yet cure time is reduced to approximately 4 hours.	3 Gal. Kit 15 Gal. Kit 150 Gal. Kit
<b>E100-FS4™ - Light Gray - 1:1 Ratio</b> A 100% solids epoxy coating engineered with additional flexibility for stable wood substrates and areas of high turning wheel traffic such as covered parking garages. Completely VOC free.	2 Gal. Kit 10 Gal. Kit 100 Gal. Kit
<b>Additional Resinous and Industrial Flooring Products</b>	
<b>AUS-50™ - Gloss - Clear - Single Component</b> A 50% solids, single component urethane sealer which provides an extremely high abrasion and chemical resistance. Not recommended for use on 100% solids epoxies. Not VOC compliant in all areas.	1 Gal. Can 5 Gal. Pail
<b>AUS-V™ - Gloss - Clear - 2:1 Ratio</b> A high solids protective urethane coating for 100% solids epoxies engineered to increase the abrasion and chemical resistance of the finished floor. Available in high gloss or satin finish. Can be color with a special liquid pigment listed below.	1.5 Gal. Kit 3 Gal. Kit 15 Gal. Kit
<b>ARMA-MENT™ SR7 - Gloss - Clear - Odd ratio. Call for specifics</b> A patented urethane/epoxy blend for increase abrasion resistance.	1.5 Gal. Kit 3 Gal. Kit 15 Gal. Kit
<b>AUS-HD™ - Gloss - Clear - Single Component</b> A 50% solids, single component urethane sealer which provides an extremely high abrasion and chemical resistance. Can be used on 100% solids epoxies. Not VOC compliant in all areas.	1 Gal. Pail 5 Gal. Pail
<b>E100-PT3™ Waterborne Clear Epoxy</b> Is engineered for coating and priming concrete surfaces and has excellent wear and scratch resistant properties.	3 Gal. Kit
<b>SPARTIC-ALL™ RM - Gloss - Clear - 2:1 Ratio</b> A high solids polyastartic specialty coating with much faster dry and cure times compared to most epoxy coating which also having increase abrasion and chemical resistance. Use for many of the HERMETIC™ flooring choices in place of epoxy. Also used as a very thin, satin finish protective coating for 100% solids epoxy.	1.5 Gal. Kit 3 Gal. Kit 15 Gal. Kit 150 Gal. Kit
<b>E100-VB5™ Vapor Barrier - 1:1 Ratio</b> An epoxy primer/base coat for concrete surfaces with vapor transmission or hydrostatic pressure concerns. Cure time under normal conditions is 4 to 5 hours. Completely VOC free. Contact a technical representative for thresholds and recommended testing methods.	2 Gal. Kit 10 Gal. Kit 100 Gal. Kit
<b>PRE-CEPTER™ 25 Moisture Mitigating Osmotic Resistant Pre-Primer</b> A proprietary single component vapor barrier emulsion for concrete surfaces that are to be coated with an epoxy or urethane coating. Pre-ceptor™25 is a highly engineered <i>Nano Silica Emulsion</i> blend developed as a pre-primer for E100-VB5™ Vapor Barrier Epoxy or other approved resinous coatings.	3 Gal. Pail 5 Gal. Pail 55 Gal. Drum
<b>E100-NV4™ Standard Duty - 2:1 Ratio</b> A 100% solids epoxy coating engineered with a higher chemical resistance for splash and spill areas. Completely self leveling and VOC free. Available in clear or brick red.	1.5 Gal. Kit 3 Gal. Kit 15 Gal. Kit 150 Gal. Kit

<b>E100-NV5™ High Performance - 2:1 Ratio</b>	1.5 Gal. Kit
Same performance characteristics and uses as E100-NV4™ with a much greater chemical resistance beyond splash and spill to the point of full chemical emersion.	3 Gal. Kit
Completely self leveling and VOC free. Available in clear or brick red.	15 Gal. Kit
	150 Gal. Kit
<b>E100-UL7™ - Clear - 2:1 Ratio</b>	3 Gal. Kit
A 100% solids epoxy coating engineered as a more cost effective underlayment or base coat.	15 Gal. Kit
	12 x 15 Gal. Kit
	150 Gal. Kit
<b>HERMETIC™ 2.2T Cementitious Urethane Topcoat</b>	3 Part Kit
A fast setting thermal shock resistant top coat offering color stability and resistance to food, beverage, and food processing chemicals when compared to traditional top coats.	
<b>HERMETIC™ 4.8S Urethane Cement Slurry - 3 Part Kit</b>	3 Part Kit
A VOC free, self leveling urethane cement slurry engineered for floors subject to pressure steam cleaning where a high wear and abrasion resistant floor is required.	
<b>HERMETIC™ CVP Ceramic Wall Coating</b>	3 GAL Kit
A 100% solids high gloss (can be satin with additional coating) vertical finish with superior abrasion and chemical resistance. Light gray, white, or tan	
<b>E100-FS4™ - Light Gray - 1:1 Ratio</b>	2 Gal. Kit
A 100% solids epoxy coating engineered with additional flexibility for stable wood substrates and areas of high turning wheel traffic such as covered parking garages. Completely VOC free.	10 Gal. Kit
	100 Gal. Kit
<b>E100-PESD™ - Electrostatic Dissipative Epoxy</b>	3 Gal. Kit
	15 Gal. Kit
<b>E100-RT1™ - Cold Temp Epoxy</b>	3 Gal. Kit
<b>EC-1710™ - Oil Tolerant Epoxy Primer - Black - 1:1 Ratio</b>	2 Gal. Kit
A solvent based epoxy primer for oil saturated concrete surfaces.	10 Gal. Kit
NOTE: Very precise surface preparation is required.	100 Gal. Kit
<b>E100-PC2™ - Coal Tar Epoxy - Black - 1:1 Ratio</b>	2 Gal. Kit
A 100% solids epoxy coating engineered to bond to asphalt, concrete, steel and wood surfaces, even in cold and damp environments. Can be used as a mortar binder for asphalt repair or a reseal coat.	10 Gal. Kit
	100 Gal. Kit
<b>E100-PTG™ - Cove Base Resin Gel - Clear - 2:1 Ratio</b>	2 Gal Pail
A 100% solid, thixotropic clear resin and may be used with the following B hardeners; E100-PT1™ (standard or fast set), E100-VR1™, E100-UL7™, or E100-PT4™	
<b>REFLECTOR™ Enhancer Additive</b>	
<b>REFLECTOR™ Enhancer Additive</b>	Sample Kit
A non-mica and non-metallic additive for select 100% solids epoxies for creating special effects and textures.	2 Oz. Jar
Standard Colors: Bubble Gum, Cairo, Canary, Charcoal Pearl, Coffee, Concord Grape, Copper, Dark Green, ECS Blue, Green Apple, Gunmetal, Lilac, Orange Gold, Red Yellow, Rialto, Russet, Sherbet, Sky Blue, Titanium.	32 Oz. Jar
<b>COLORANTS AND PIGMENTS</b>	
<b>CVP liquid pigment for Hermetic™ CVP wall coating - light gray</b>	1 Pint Jar
<b>SPARTIC-ALL™ RM LIQUID PIGMENT FOR SPARTIC-ALL</b>	32 Oz. Can
Colors: White and Medium gray	
<b>Waterborne Pigment for AUS-V™ &amp; HERMETIC™ Urethane Cement Slurry</b>	1 Pint Jar
Liquid pigment additive specifically for AUS-V™ & HERMETIC™ Urethane Cement Slurry.	1 Gal. Bottle
Standard Colors: White, Tan, Light Gray, Medium Gray, Dark Gray, Brick Red, Country Blue	
<b>Powdered Pigment for E100 Series Epoxy*</b>	1 Quart Jar
Powdered pigment additive for select clear E100 Series epoxies. * Select epoxies. Contact a representative.	
Standard Colors: Tan, Light Gray, Medium Gray, Dark Gray	
<b>Liquid Pigment for E100 Series Epoxy*</b>	1 Quart Jar
Liquid pigment additive for select clear E100 Series epoxies. * Select epoxies. Contact a representative.	
Standard Colors: Tan, Light Gray, Medium Gray, Dark Gray, Black, White	
<b>Supplemental Products</b>	
<b>BACK-TRACK™ Anti-Slip additive for Coatings</b>	1 Quart Jar
A long wearing anti-slip additive, suitable for use in most clear and pigmented 100% solids coatings and approved component sealers.	
<b>EXIT™ Epoxy Cleaner and Troweling Aid</b>	1 Gal. Bottle
A non-solvent, non-hazardous, non-flammable solution for cleaning uncured epoxy from tools and equipment.	5 Gal. Pail
Aids in the application of trowelable mortars and cove base helping to eliminate sticking.	
<b>Aluminum Oxide Aggregate - 240 Sieve</b>	1.5 Lbs.
A non-slip and satin finish additive for select protective tops for greatly improving abrasion resistance.	
<b>Cellulose Powder Epoxy Thickener (Cabosil Replacement)</b>	2 Gal. Pail
An epoxy thickening agent. Typically used in cove base and other specialty applications.	50 Lb. Bag
<b>JFS-450H™ High Performance Adhesive/Sealant</b>	Cartridge
A one component, high modulus, mildew resistant multipurpose silyl-terminated polyether (hybrid) elastomeric sealant and adhesive	
<b>80 Lb. Flint #12 Medium Sieve Rounded Silica Quartz</b>	80 Lb. Bag
A blended 40 to 50 sieve, rounded silica quartz/sand used for a multitude of applications.	
<b>100 Lb. Sil-Co-Sil Silica Flour</b>	100 Lb. Bag
An ultra-finely ground silica quartz powder used for a multitude of applications.	
<b>QUICK-CRACK™ - 1:1 Ratio</b>	1 Gal. Kit
An extremely fast, yet moisture sensitive crack fill resin.	

<b>MERCAP-445™ - Crack Repair and Injection Epoxy</b>	900 ml Cartridge
A crack repair resin which can withstand moderate moisture presence. Yet slower cure than QUICK-CRACK™.	1.5 Gal. Kit
<b>REHAB™</b>	1 Gal. Bottle
A concentrated cleaner and degreaser.	5 Gal. Pail
<b>WHISTLE™ 21.C concentrated floor cleaner</b>	1 Gal. bottle
<b>*Dual Cartridge Gun - 600 ml:300ml - 2:1</b>	
Used for the application of MERCAP-445™ in cartridge form.	Each
<b>*Scrim Cloth</b>	
6" X 300' rolls, Warp knit fabric synthetic fibers, dyed	Each
<b>*Static Mixer</b>	
Used for the application of MERCAP-445™ in cartridge form.	Each
<b>Wet Film Thickness Gauge (mil &amp; micron) - 10 pack</b>	10 Pack
<b>Specialty Tools and Supplies</b>	
<b>*Hand Squeegee (Magic Trowel)</b>	12" W
	18" W
	22" W
<b>*Economy Notched Squeegee</b>	1/16" D x 22" W
	1/8" D x 22" W
	3/16" D x 22" W
<b>*Gauge Rack (Cam) - 24"</b>	24" Wide
<b>*Mixer Set - 5 Piece</b>	5 Pieces
<b>*Plastic Measuring Container</b>	1 Quart
	2.5 Quart
	5 Quart
<b>5 Gallon "Mixing Pail" - 6 Gallon "Mixing Pail"</b>	1 Each
<b>Lid for "Mixing Pail" - Press on Removeable</b>	1 Each

\* = Purchase direct from the recommended supplier or retail pricing is applied

<b>Marketing Materials &amp; Apparel</b>	
<b>Technical Brochure - "Garage Floor Coatings"</b>	100 pcs.
<b>Technical Brochure - "REFLECTOR™ Enhancer Flooring System"</b>	100 pcs.
<b>Technical Brochure - "HERMETIC™ Neat Flooring System"</b>	100 pcs.
<b>Technical Brochure - "HERMETIC™ Flake Flooring System"</b>	100 pcs.
<b>Technical Brochure - "HERMETIC™ Quartz Flooring System"</b>	100 pcs.
<b>Technical Brochure - "HERMETIC™ Stout Flooring System"</b>	100 pcs.
<b>Technical Brochure - "HERMETIC™ Paramount Flooring System"</b>	100 pcs.
<b>Technical Brochure - "HERMETIC™ Paramount HD Flooring System"</b>	100 pcs.
<b>Technical Brochure - "HERMETIC™ Aircraft Flooring System"</b>	100 pcs.
<b>Technical Brochure - "HERMETIC™ 4.8S Urethane Cement Slurry"</b>	100 pcs.
<b>4 Page Brochure - "Tough, Long Lasting Solutions"</b>	100 pcs.
<b>4 Page Brochure - "Commercial Flooring Solutions"</b>	100 pcs.
<b>4 Page Brochure - "Residential Flooring Solutions"</b>	100 pcs.
<b>4 Page Brochure - "REFLECTOR™ Enhancer Flooring Solutions"</b>	100 pcs.
<b>4 Page Brochure - "Industrial Flooring Solutions"</b>	100 pcs.
<b>Color Chart - "REFLECTOR™ Enhancer Flooring System"</b>	100 pcs.
<b>Color Chart - Economy - "E100 Series - Pre-Colored Epoxy Coatings"</b>	100 pcs.
<b>Color Chart - "Pigmented Industrial Coatings Chart"</b>	10 pcs.
<b>Product Information Binder</b>	Each
<b>Product Information Binder on USB Flash Drive</b>	Each
<b>Product Information Folder - Division 9 Finishes - Empty</b>	25 Pack
<b>Tee Shirt - Elite Crete Systems - Black or White</b>	Medium
	Large
	X Large
	XX Large
<b>Hat - Elite Crete Systems - Black or Camo</b>	Each
<b>Hat - Elite Crete Systems - White Flat Bill</b>	Each

See PI.021C - Price List - Division 3 Products for additional products