

# Safety Data Sheet

According to 1907/2006/EC (REACH) and 1272/2008/EC (CLP)

Version: 1.0

Revision: 3/15/21

**Trade Name: AUS-V™ Aggregate - White Aluminum Oxide**

## 1 Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Trade Name: AUS-V™ Aggregate - White Aluminum Oxide

### 1.2 Article No.: AUS-V™ Aggregate - White Aluminum Oxide

### 1.3 Details of the supplier of the Safety Data Sheet Manufacturer:

Elite Crete Systems  
1151 Transport Drive,  
Valparaiso, IN 46383  
Toll Free: 888.323.4445  
Tel: (219) 465-7671  
[www.elitecrete.com](http://www.elitecrete.com)

### 1.4 Emergency telephone number:

CHEMTREC US DOMESTIC: (800-424-9300)  
CHEMTREC INTERNATIONAL: (703-527-3887)

## 2 Hazards identification

### 2.1 Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 (CLP)

The product is not classified as hazardous according to the Globally Harmonized System (GHS).  
The product is not classified as hazardous according to the OSHA GHS regulation within the United States.  
The product is not classified as hazardous according to the CLP regulation.

#### Additional information:

There are no other hazards not otherwise classified that have been identified.  
0% of the mixture consists of component(s) of unknown toxicity.

### 2.2 Label elements

#### Labeling according to Regulation (EC) No 1272/2008 (CLP):

This product does not have a classification according to the CLP regulation.

The product is not classified as hazardous according to OSHA GHS regulations within the United States.


**Hazard:** Not regulated

**Signal Word:** Not regulated

**Hazard-determining components of labeling:** None

**Hazard statements:** Not regulated

#### NFPA ratings (scale 0 - 4)



Health = 0  
Fire = 0  
Reactivity = 0

#### HMIS-ratings (scale 0 - 4)

Health	2
Fire	1
Reactivity	0

Health = 2  
Fire = 1  
Reactivity = 0

### 2.3 Other hazards results of PBT and vPvB assessment

**PBT:** Not applicable

**vPvB:** Not applicable

# Safety Data Sheet

According to 1907/2006/EC (REACH) and 1272/2008/EC (CLP)

Version: 1.0

Revision: 3/15/21

**Trade Name: AUS-V™ Aggregate - White Aluminum Oxide**

## 3 Composition/information on ingredients

### 3.1 Substances

**CAS No. Description**

1344-28-1 aluminum oxide

**Identification number(s)**

EC number: 215-691-6

## 4 First aid measures

### 4.1 Description of first aid measures

**After inhalation:**

Supply fresh air; consult doctor in case of complaints.

**After skin contact:**

Brush off loose particles from skin. Wash with soap and water. If skin irritation is experienced, consult a doctor.

**After eye contact:**

Remove contact lenses if worn. Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

**After swallowing:**

Rinse out mouth and then drink plenty of water. Do not induce vomiting; call for medical help immediately.

### 4.2 Most important symptoms and effects, both acute and delayed.

Slight irritant effect on eyes.

**Hazards:** No further relevant information available.

### 4.3 Indication of any immediate medical attention and special treatment needed:

No further relevant information available.

## 5 Firefighting measures

### 5.1 Extinguishing media

**Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.

### 5.2 Special hazards arising from the substance or mixture:

 No further relevant information available.

### 5.3 Advice for firefighters:

 Wear self-contained respiratory protective device. Wear fully protective suit.

## 6 Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures:

 Avoid formation of dust.

For large spills, wear protective clothing. For large spills, use respiratory protective device against the effects of fumes/dust/aerosol. Ensure adequate ventilation.

### 6.2 Environmental precautions:

 No special measures required.

### 6.3 Methods and material for containment and cleaning up:

 Pick up mechanically. Send for recovery or disposal in suitable receptacles. Dispose contaminated material as waste according to item 13.

### 6.4 References to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# Safety Data Sheet

According to 1907/2006/EC (REACH) and 1272/2008/EC (CLP)

Version: 1.0

Revision: 3/15/21

**Trade Name: AUS-V™ Aggregate - White Aluminum Oxide**

## 7 Handling and storage

### 7.1 Precautions for safe handling

Any unavoidable deposit of dust must be regularly removed. Use only in well ventilated areas. Do not dry clean dust covered objects and floors. Wash thoroughly with plenty of water. Prevent formation of dust.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Storage:

**Requirements to be met by storerooms and receptacles:** No special requirements

**Information about storage in one common storage facility:** Store away from oxidizing agents. Store away from foodstuffs. Do not store together with acids.

### 7.3 Specific end use(s):

No further relevant information available.

## 8 Exposure controls/personal protection

### 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

Aluminum Oxide	1344-28-1	PEL (USA)	Long-term value: 15*; 15** mg/m <sup>3</sup> *Total dust; ** Respirable fraction
		REL (USA)	Long-term value: 10* 5** mg/m <sup>3</sup> As Al *Total dust **Respirable/pyro powd./welding f.
		TLV (USA)	Long-term value: 1* mg/m <sup>3</sup> as Al; *as respirable fraction
		EL (Canada)	Long-term value: 1,0 mg/m <sup>3</sup> respirable, as Al
		EV (Canada)	Long-term value: 10 mg/m <sup>3</sup> total dust

**DNELs** No further relevant information available.

**PNECs** No further relevant information available.

**Additional information:** The lists valid during the making were used as basis.

### 8.2 Exposure controls

#### Personal protective equipment:

##### General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Do not inhale dust / smoke / mist. Avoid close or long term contact with the skin. Keep away from foodstuffs, beverages and feed.

##### Respiratory protection:

Not required under normal conditions of use. Use suitable respiratory protective device when high concentrations are present. For spills, respiratory protection may be advisable.



##### Protection of hands:

Wear protective gloves



##### Eye protection:

Wear safety glasses

##### Body Protection:

Not required under normal conditions of use. Protection may be required for spills.

# Safety Data Sheet

According to 1907/2006/EC (REACH) and 1272/2008/EC (CLP)

Version: 1.0

Revision: 3/15/21

**Trade Name: AUS-V™ Aggregate - White Aluminum Oxide**

## 9 Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Appearance	Powder	Color	White
Odor	Characteristic	Odor Threshold (ppm)	Not available
Melting Point (°C) / Freezing Point (°C)	2050 °C (3812 °F)	Boiling Point/Boiling Range (°C)	Not available
Flash Point (°C)	No Data	Explosive Limit Ranges	Not available
Auto Ignition Temperature (°C)	Not available	Decomposition Temperature (°C)	Not available
Explosive Properties	None	Oxidizing Properties	Not available
Flammability (Solid, Gas)	Not available	Ph (Value)	Not available
Evaporation Rate	N/A	Vapor Pressure (mm Hg)	Not available
Vapor Density (Air=1)	N/A	Density (g/ml)	3,88 g/cm <sup>3</sup>
Solubility (Water)	Insoluble	Solubility (Other)	Not available
Partition Coefficient (N-Octanol/Water)	Not available	Viscosity (mPa.s)	Not available

### 9.2 Other information

Volatile Organic Chemical (VOC) Content – Not Available.

## 10 Stability and reactivity

### 10.1 Reactivity:

### 10.2 Chemical stability:

**Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.

**10.3 Possibility of hazardous reactions:** Reacts with strong acids and alkali. Reacts with strong oxidizing agents.

**10.4 Conditions to avoid:** No further relevant information available.

**10.5 Incompatible materials:** No further relevant information available.

**10.6 Hazardous decomposition products:** Possible in traces

## 11 Toxicological information

### 11.1 Information on toxicological effects:

**LD/LC50 values relevant for classification:** None

#### Primary irritant effect:

**On the skin:** Slight irritant effect on skin and mucous membranes.

**On the eye:** Slight irritant effect on eyes.

**Sensitization:** No sensitizing effects known.

**Additional toxicological information:** The substance is not subject to classification according to the latest version of the EU lists.

**CMR effects (carcinogenicity, mutagenicity, and toxicity for reproduction):** No further relevant information available.

# Safety Data Sheet

According to 1907/2006/EC (REACH) and 1272/2008/EC (CLP)

Version: 1.0

Revision: 3/15/21

**Trade Name: AUS-V™ Aggregate - White Aluminum Oxide**

## 12 Ecological information

**12.1 Toxicity:** No data

**Aquatic toxicity:** No further relevant information available

**12.2 Persistence and degradability:** Inorganic product, is not eliminable from water by means of biological cleaning processes.

**12.3 Bio accumulative potential:** Does not accumulate in organisms.

**12.4 Mobility in soil:** No further relevant information available.

**General notes:** Generally not hazardous for water.

**12.5 Results of PBT and vPvB assessment:** Not applicable

## 13 Disposal considerations

**13.1 Waste treatment methods**

**Recommendations:**

Smaller quantities can be disposed of with household waste. Contact waste processors for recycling information. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

**Uncleaned Packaging:**

**Recommendation:** Disposal must be made according to official regulations.

## 14 Transport information

### Land Transport (ADR/RID) (c)(d)

UN Number	None
Proper Shipping Name	Not classified as dangerous for transport.
Transport Hazard Class(es)	None
Packing Group	None
Hazard Label(s)	None
Environmental Hazards	None
Special Precautions For User	None

### Sea Transport (IMDG) (c)

UN Number	None
Proper Shipping Name	Not classified as dangerous for transport.
Transport Hazard Class(es)	None
Packing Group	None
Marine Pollutant	None
Special Precautions For User	None

### Land Transport (Within USA) (b)(d)

UN Number	None
Proper Shipping Name	Not classified as dangerous for transport.
Transport Hazard Class(es)	None
Packing Group	None
Hazard Label(s)	None
Environmental Hazards	None
Special Precautions For User	None

### Air Transport (ICAO/IATA) (c) (d)

UN Number	None
Proper Shipping Name	Not classified as dangerous for transport.
Transport Hazard Class(es)	None
Packing Group	None
Marine Pollutant	None
Special Precautions For User	None

# Safety Data Sheet

According to 1907/2006/EC (REACH) and 1272/2008/EC (CLP)

Version: 1.0

Revision: 3/15/21

**Trade Name: AUS-V™ Aggregate - White Aluminum Oxide**

(b)- ORM-D may be applicable within the USA for package sizes less than 30kg.

(c)- Consult with transport provider.

(d)- Check relevant regulations for Special Provisions.

**Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

## 15 Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture. United States (USA)

#### SARA:

**Section 355 (extremely hazardous substances):** Substance is not listed

**Section 313 (Toxic Release Inventory):** Aluminum oxide listing is only relevant to fibrous forms and is not applicable to the product as supplied.

**TSCA (Toxic Substances Control Act):** Substance is listed.

#### Proposition 65 (California):

**Chemicals known to cause cancer:** Substance is not listed.

**Chemicals known to cause reproductive toxicity for females:** Substance is not listed.

**Chemicals known to cause reproductive toxicity for males:** Substance is not listed.

**Chemicals known to cause developmental toxicity:** Substance is not listed.

#### Canada

**Canadian Domestic Substances List (DSL):** Substance is listed

**Canadian Ingredient Disclosure list (limit 0.1%):** Substance is not listed

**Canadian Ingredient Disclosure list (limit 1%):** Substance is listed

#### Carcinogenic Categories

**EPA (Environmental Protection Agency):** Substance is not listed

**IARC (International Agency for Research on Cancer):** Substance is not listed

**TLV (Threshold Limit Value established by ACGIH):** 1344-28-1 aluminum oxide

# Safety Data Sheet

According to 1907/2006/EC (REACH) and 1272/2008/EC (CLP)

Version: 1.0

Revision: 3/15/21

**Trade Name: AUS-V™ Aggregate - White Aluminum Oxide**

**MAK (German Maximum Workplace Concentration):** 1344-28-1 aluminum oxide

**NIOSH-Ca (National Institute for Occupational Safety and Health):** Substance is not listed

**15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## 16 Other information

### Additional Information:

- The accumulation of airborne dust particles may lead to health and safety risks in some cases. The use of good industrial practices will mitigate this risk.
- The health risks from inhalation of dust particles vary; this is due to particle concentration, exposure length, number of exposures and type of particles inhaled. Please read Section 2,4,6,7 and 8 of the SDS to understand these potential risks. Wear personal protective equipment and follow storage and handling procedures to maintain a safe workplace.
- In rare instances, combustible dusts may represent a potential explosion hazard when airborne. This hazard is often associated with organic dust such as foodstuffs and coal, but may also occur with mineral products. While the majority of our products would be considered non-combustible, the overall airborne environment should be considered when determining the need for mitigation from the potential hazard. Consult recognized experts when necessary in order to determine any possible hazard.

**Please read the SDS for specific information concerning these hazards, and contact us with any further questions. We appreciate your continued business.**

### Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road  
 IMDG: International Maritime Code for Dangerous Goods  
 DOT: US Department of Transportation.  
 IATA: International Air Transport Association.  
 ACGIH: American Conference of Governmental Industrial Hygienists.  
 EINECS: European Inventory of Existing Commercial Substances.  
 ELINCS: European List of Notified Chemical Substances.  
 CAS: Chemical Abstracts Service (division of the American Chemical Society).  
 NFPA: National Fire Protection Association (USA).  
 HMIS: Hazardous Materials Identification System (USA).  
 LC50: Lethal concentration, 50 percent.  
 LD50: Lethal dose, 50 percent.