According to 1907/2006/EC (REACH) and 1272/2008/EC (CLP)

Version: 1.4 Revision: 11/7/2023

Trade Name: BACE-LINE™ 6.3M - LIQUID PRIMER ONLY

1 Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: BACE-LINE™ 6.3M - LIQUID PRIMER ONLY

1.2 Details of the supplier of the Safety Data Sheet Manufacturer/Supplier:

Elite Crete Systems 1151 Transport Drive Valparaiso, IN 46383 Toll Free: 888.323.4445 Tel: (219) 465-7671 elitecrete.com

1.3 Emergency telephone number:

CHEMTREC US DOMESTIC: (800-424-9300) CHEMTREC INTERNATIONAL: (703-527-3887)

2 Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with CFR 1910 (OSHA HCS)

The product is considered hazardous by OSHA hazard Communication Standard (29 CFR 1910. 1200)t.

Classification of the SKIN SENSITIZATION –Category 1
Substance or mixture CARCINOGENICITY – Category 1A

2.2 Label elements

Labeling according to Regulation (EC) No 1272/2008:

Hazard pictograms:





GHS07

Signal word: Danger

H code: Hazard statements

H317 May cause allergic skin reaction. P code: **Precautionary Statements**

P280: Wear protective gloves/protective clothing/eye protection/face protection

P302+P352: IF ON SKIN: Wash with plenty of soap and water.

P333 +P313: If skin irritation or rash occurs: Get medical advice/attention.

P501 Dispose of contents/container to waste disposal.

According to 1907/2006/EC (REACH) and 1272/2008/EC (CLP)

Version: 1.4 Revision: 11/7/2023

Trade Name: BACE-LINE™ 6.3M - LIQUID PRIMER ONLY

S36/37 Wear Suitable protective clothing and gloves.

2.3 Other hazards:

No data available

Hazard description:

Canadian WHMIS Classification: none listed

NFPA ratings (scale 0 - 4)



Health =1 Fire = 0 Reactivity = 0

HMIS-ratings (scale 0 - 4)



Health = 1 Fire = 0 Reactivity = 0

2.3 Other hazards not otherwise classified (HNOC) or not covered by GHS

None known

3 Composition/information on ingredients

3.2 Mixture.

Description: Mixture of substances listed below with nonhazardous additives.

Hazardous components:

Identification #	Description	WT. %
CAS: 13463-67-7 EINECS: Index No:	Titanium Dioxide	13 -24%
PROPRIETARY EINECS: Index: No:	ACRYLIC POLYMER	29-50%
CAS: 7732-18-5	water	48-56%

Additional information: Additional H statements see Sec 16.

According to 1907/2006/EC (REACH) and 1272/2008/EC (CLP)

Version: 1.4 Revision: 11/7/2023

Trade Name: BACE-LINE™ 6.3M - LIQUID PRIMER ONLY

4 First aid measures

4.1 Description of first aid measures

After inhalation:

If breathing becomes difficult, remove victim to fresh air. If necessary, use artificial respiration to support vital functions. Seek medical attention if breathing difficulty continues.

After skin contact:

Wash skin thoroughly after handling. Seek medical attention if irritation develops and persists. Remove contaminated clothing. Launder contaminated clothing before re-use.

If product enters the eyes, open eyes while under gentle running water for at least 15 minutes. Seek medical attention.

After swallowing:

If product is swallowed, call physician or poison control center for most current information. If professional advice is not available, do not induce vomiting. Never induce vomiting or give diluents Give large amounts of water or milk to a CONSCIOUS PERSON. Never give (milk or water) to someone who is unconscious, having convulsions, or who cannot swallow. Seek medical advice. Take a copy of the label and/or SDS with the victim to the health professional.

4.2 Most important symptoms and effects, both acute and delayed.

Acute: This material may cause irritation to skin and eyes. Product may cause an allergic skin reaction. Chronic: Prolonged or repeated skin contact may cause skin reaction product can be removed with water

Chronic: Skin

wash exposed skin thoroughly. Seek medical attention if symptoms arise.

Target Organs: Acute: Eye, Skin Hazards: Pre-existing skin or eye problems may be aggravated by exposure to this product.

4.3 Indication of any immediate medical attention and special treatment needed:

Treat symptoms and reduce over-exposure.

5 Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents: not applicable

5.2 Special hazards arising from the substance or mixture: low oxygen level: Acetic acid

Hazardous decomposition products none known

Flammability: not flammable

Product does not burn use appropriate extinguishing measures and protective gear appropriate to source of fire.

According to 1907/2006/EC (REACH) and 1272/2008/EC (CLP)

Version: 1.4 Revision: 11/7/2023

Trade Name: BACE-LINE™ 6.3M - LIQUID PRIMER ONLY

6 Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**: Personnel should be trained for spill response operations.
- **6.2 Environmental precautions:** All work practices must be aimed at eliminating environmental contamination.
- **6.3 Methods and material for containment and cleaning up:** Evacuate area. Contain spill if safe to do so. Prevent entry into drains, sewers, and other waterways. Soak up spilled material with an absorbent material and pick up and place in an appropriate waste container for disposal. Do not mix with other wastes. Dispose of in accordance with applicable Federal, State, and local procedures (see Section 13, Disposal Considerations).

7 Handling and storage

7.1 Precautions for safe handling

As with all chemicals, avoid getting this product ON YOU or IN YOU. Wash thoroughly after handling this product. Do not eat, drink, smoke, or apply cosmetics while handling this product. Avoid breathing dust/vapors generated by this product. Use in a well-ventilated location. Remove contaminated clothing immediately.

7.2 Conditions for safe storage, including any incompatibilities Storage:

Requirements to be met by storerooms and receptacles:

protect against frost

7.3 Specific end use(s): No information

According to 1907/2006/EC (REACH) and 1272/2008/EC (CLP)

Version: 1.4 Revision: 11/7/2023

Trade Name: BACE-LINE™ 6.3M - LIQUID PRIMER ONLY

8 Exposure controls/personal protection

Additional information about design of technical facilities:

Use with adequate ventilation to ensure exposure levels are maintained below the limits provided above. Use local exhaust ventilation to control airborne dust/vapor. Ensure eyewash/safety shower stations are available near areas where this product is used.

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

Currently, International exposure limits are not established for the components of this product. Please check with competent authority in each country for the most recent limits in place.

8.2 Exposure controls

Personal protective equipment:

General protective and hygienic measures:

The following information on appropriate Personal Protective Equipment is provided to assist employers in complying with OSHA regulations found in 29 CFR Subpart I (beginning at 1910.132) or equivalent standard of Canada, or standards of EU member states (including EN 149 for respiratory PPE, and EN 166 for face/eye protection), and those of Japan. Please reference applicable regulations and standards for relevant details.

Respiratory protection: Maintain airborne contaminant concentrations below guidelines listed above, if applicable. If necessary, use only respiratory protection authorized in the U.S. Federal OSHA Respiratory Protection Standard (29 CFR 1910.134), equivalent U.S. State standards, Canadian CSA Standard Z94.4-93, the European Standard EN149, or EU member states.

Protection of hands: Use chemical resistant gloves to prevent skin contact. If necessary, refer to U.S. OSHA 29 CFR 1910.138 or appropriate Standards of Canada.



Protective gloves

Material of gloves:

The selection of suitable gloves does not only depend on the material, but also on the quality, and varies from manufacturer to manufacturer.

Penetration time of glove material:

The exact break through time has to be determined by the manufacturer of the protective gloves. DO NOT exceed the breakthrough time set by the Manufacturer.

Eye protection: Safety glasses or chemical goggles as appropriate to prevent eye contact. If necessary, refer to U.S. OSHA 29 CFR 1910.133 or appropriate Canadian Standards.



Tightly sealed goggles

Body Protection:

Use body protection appropriate to prevent contact (e.g. lab coat, overalls). If necessary, refer to appropriate Standards of Canada, or appropriate Standards of the EU, Australian Standards, or relevant Japanese Standards.

Exposure guidelines:

According to 1907/2006/EC (REACH) and 1272/2008/EC (CLP)

Version: 1.4 Revision: 11/7/2023

Trade Name: BACE-LINE™ 6.3M - LIQUID PRIMER ONLY

9 Physical and chemical properties 9.1 Information on basic physical and chemical properties **General Information** Appearance: Form: liquid Color: milky white liquid Odor: BLAND (weak) Odor threshold: N/A 9.5 pH-value: Change in condition Not available Melting point/Melting range: 212°F (100°C) Boiling point/Boiling range: Closed cup > 199.9°F (93.3°C) Flash point: Flammability (solid, gaseous): Not applicable N/A **Auto/Self-ignition temperature: Decomposition temperature:** No data available Self-igniting: No data available Danger of explosion: Not applicable **Explosion limits** Lower + Upper: Not established Not established Vapor pressure at:

Density at 20°C:	8.56 lbs. per gallon specific gravity (1.03)
Vapor pressure:	23hPa @ 68°F (20°C)

Venez deneitra

Vapor density: <1 (Air=1)

Evaporation rate: 0.09 (butyl acetate = 1)

Solubility in / Miscibility with Water: Not available Specific Gravity 23 C: (Water = 1): 1.03 g/cm³

Viscosity:

Dynamic:No data available **Kinematic:**No data available

Solvent content:

Organic solvents: No data available

VOC (EC) 0.0%

9.2 Other informationNo data available

According to 1907/2006/EC (REACH) and 1272/2008/EC (CLP)

Version: 1.4 Revision: 11/7/2023

Trade Name: BACE-LINE™ 6.3M - LIQUID PRIMER ONLY

10 Stability and reactivity

10.1 Reactivity: no data available.

10.2 Chemical stability: Product is stable.

Thermal decomposition / conditions to be avoided: none known.

10.3 Possibility of hazardous reactions: none known.

10.4 Conditions to avoid: NONE KNOWN. **10.5 Incompatible materials:** none known.

10.6 Hazardous decomposition products: If stored and handled properly none known. At increased

temperature Acetic acid.

11 Toxicological information

11.1 Information on toxicological effects: Toxicity data is available for this product.

Acute toxicity:

Acute Dermal	LD 50	>2,000 mg/kg	Rabbit
Acute Oral	LD 50	>1,230 mg/kg	Rat

Primary irritant effect: Contact with this product can be irritating to exposed skin and eyes.

Sensitization: This product is considered a skin sensitizer.

Additional toxicological information:

None of the ingredients are found on the following lists: FEDERAL OSHA Z LIST, NTP, CAL/OSHA, IARC Reproductive toxicity information:

No information available.

Carcinogenicity: IARC, ACGIH, NTP, OSHA: no component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

12 Ecological information **Toxicity Product/ingredient name** Result Species **Exposure** Titanium Dioxide Acute LC50 >1000000 µg/l Fish - Fundulus heteroclitus 96 hours Marine water zinc oxide Acute IC50 1.85 mg/l Marine Algae - Skeletonema costatum 96 hours water Acute IC50 46 µg/l Fresh Algae - Pseudokirchneriella 72 hours subcapitata - Exponential growth phase Daphnia - Daphnia magna -48 hours Acute LC50 98 µg/l Fresh water Neonate Acute LC50 1.1 ppm Fresh Fish - Oncorhynchus mykiss 96 hours water

According to 1907/2006/EC (REACH) and 1272/2008/EC (CLP)

Version: 1.4 Revision: 11/7/2023

Trade Name: BACE-LINE™ 6.3M - LIQUID PRIMER ONLY

13 Disposal considerations

13.1 Waste treatment methods

Recommendations:

Waste disposal must be in accordance with appropriate Federal, State, and local regulations, those of Canada, Australia, EU Member States and Japan. Recommended to contact local licensed professional waste disposal service.

RCRA WASTE CODE: None Listed EU WASTE CODE: Not Listed

14 Transport information	
14.1 UN-Number	NO UN NUMBER REQUIRED NON-HAZARDOUS IN ALL
IMDG:	RESPECTS
ADR, DOT, IATA, TGD	NOT DANGEROUS GOODS
14.2 UN proper shipping name	
ADR, IMDG, IATA: DOT: TGD	,
	NOT DANGEROUS GOODS
14.3 Transport hazard class(es) DOT	
Class:	NONE
Label:	NONE
ADR, IMDG, IATA	
Class:	
Label:	NONE
	NONE
IMDG	
Class:	
Label:	NONE
IATA	
Class:	
Label:	NONE
14.4 Packing group	
DOT, ADR, IMDG, IATA:	NONE
DOT, ADR, IMDG, IATA:	NONE
14.5 Environmental hazards:	This was decate in one disease and other 15 of the COT
Marine pollutant:	This products ingredients are not classified by the DOT as a Marine Pollutant (as defined by 49 CFR 172.101, Appendix B)

According to 1907/2006/EC (REACH) and 1272/2008/EC (CLP)

Version: 1.4 Revision: 11/7/2023

Trade Name: BACE-LINE™ 6.3M - LIQUID PRIMER ONLY

14.6 Special precautions for user Danger code (Kemler): EMS Number:	No data available No data available
14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:	No data available
Transport/Additional information	
ADR Tunnel restriction code	No data available
UN "Model Regulation":	No data available

15 Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture. United States (USA)

SARA: This product is not subject to the reporting requirements of Sections 302, 304 and 313 of Title III of the Superfund Amendments and Reauthorization Act.: None

Section 355 (extremely hazardous substances): None of the ingredients are listed.

Section 313 (Toxic Release Inventory): None of the ingredients are listed.

TSCA (Toxic Substances Control Act): All ingredients are listed.

Proposition 65 (California):

Chemicals known to cause cancer:

None of the ingredients is listed.

Canada

Canadian Domestic Substances List (DSL):

All ingredients are listed

Canadian Ingredient Disclosure list (limit 0.1%):

None of the ingredients are listed.

Canadian Ingredient Disclosure list (limit 1%):

None of the ingredients are listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

According to 1907/2006/EC (REACH) and 1272/2008/EC (CLP)

Version: 1.4 Revision: 11/7/2023

Trade Name: BACE-LINE™ 6.3M - LIQUID PRIMER ONLY

16 Other information

Relevant phrases:

Acute Tox. Acute Toxicity

Aquatic Acute. Acute aquatic toxicity

H302: Harmful if swallowed

H312: Harmful in contact with skin H332: Harmful in contact with skin

H315: causes skin irritation

P code: **Precautionary Statements**

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352: IF ON SKIN: Wash with plenty of soap and water.

P333 +P313: If skin irritation or rash occurs: Get medical advice/attention.

P501 Dispose of contents/container to waste disposal.

R21: Harmful in contact with skin.

R34: Causes burns.

R43: May cause sensitization by skin contact.

R52/53: Harmful to aquatic organisms may cause long-term adverse effects in the aquatic environment.

Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation.

IATA: International Air Transport Association.

ACGIH: American Conference of Governmental Industrial Hygienists.

EINECS: European Inventory of Existing Commercial Chemical Substances.

ELINCS: European List of Notified Chemical Substances.

CAS: Chemical Abstracts Service (division of the American Chemical Society).

NFPA: National Fire Protection Association (USA).

HMIS: Hazardous Materials Identification System (USA).

LC50: Lethal concentration, 50 percent.

LD50: Lethal dose, 50 percent.